



FIG. 1




FIG. 2




FIG. 3

CDCIP11.CDCIP1._1 Browser Browser

5
6
7
8

Add Remove

Length Data Offset
11 4

401 Literal 402

Device Fieldname
PRODNA

Alignment Padding Character

☒ left 403 ☐ As Char
☐ right As ASCII
 As EBCDIC

OK Cancel Help

FIG. 4




FIG. 5

RecordSettings

Transitions to Successor Records

601 Successor
Exit [v] Remove

Source Successor
Exit [v] Copy From:

604 Action
ENTER [v]

Available Parameters

CDCIP1.STOCKQUA	[x]
CDCIP1.THRESHOL	[x]
CDCIP1.SYSMSG	[x]
CDCIP1.DGIA0000	[x]

Remove Add to Succ

Parameter for Selected Succ
CDCIP1.ACTION [v] 602

Actions Fields Connections Transition

OK Cancel Help

RecordSettings

SOURCE SUCCESSOR
Exit [v] Copy From:

Action
ENTER [v]

Available Parameters

CDCIP1.STOCKQUA	[x]
CDCIP1.THRESHOL	[x]
CDCIP1.SYSMSG	[x]
CDCIP1.DGIA0000	[x]

Remove Add to Succ

602 Parameter for Selected Succ
CDCIP1.ACTION [v] 607

603 Constant
E [v] Clear

606 View

Actions Fields Connections Transition

OK Cancel Help

FIG. 6

Entry Settings

Transaction Parameters

Transaction Code 701
CDCIP1T

Fields	Length
Name	20
PorNo	
Name	

DpageOffset
0

☐ Read Only

Literal/Global Constant

Fields Transitions

OK Cancel Help

702

FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11